

	Application No.	Applicant(s)
·	Аррисацоп No.	Applicant(s)
Aladiaa af Allamahilitu	09/923,569	SUGAWARA ET AL.
Notice of Allowability	Examiner	Art Unit
	Magda Cruz	2851
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the Amendment filed on 11/30/2004.		
2. The allowed claim(s) is/are <u>1-4,7-22,25,26,36 and 37.</u>		
3. The drawings filed on <u>25 February 2003</u> are accepted by the Examiner.		
4.		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 10/12/2004 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☑ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amenda	te <u>12/22/04</u> .

Application/Control Number: 09/923,569

Art Unit: 2851

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sungho Hong on 12/22/2004.

- a. On claim 1, line 12, insert - a color combining prism including - before "a plurality of prisms".
- b. On claim 25, line 1, delete "A system" and substitute with "An apparatus".
- c. On claim 26, line 1, delete "A system" and substitute with "An apparatus".
- d. Cancel claims 27-35.

Allowable Subject Matter

2. Claims 1-4, 7-22, 25, 26, 36 and 37 are allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Magda Cruz whose telephone number is (571) 272-

Page 3

Application/Control Number: 09/923,569

Art Unit: 2851

2114. The examiner can normally be reached on Monday through Thursday 8:00-5:30

PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JUDY NGUYEN

SUPERVISORY PATENT EXAMINER